Polyplas Colours (250) Product Specification



Product Description and Applications

Polyplas Colours (250) is ideal for creating finished tags that are both weather and tear resistant, making them exceptionally durable for outdoor use. Polyplas (250) is an economical material that can be used for industrial tags across a wide variety of applications where high temperature resistance is not required, but colour coding assists with your operations. These tags can come in a variety of colours which can be found below. Industries that currently utilise Polyplas Colours (250) include:

Steel & Metals	Horticulture
Construction	Leisure
Engineering	Medical

Printability

Polyplas Colours (250) can be pre-printed in up to 4 colours depending on the artwork. This material can also be over-printed using a suitable ribbon and a thermal transfer printer to add variable data, on-site.

Storage Guidelines


Dura-ID Solutions recommend keeping this product out of direct sunlight, in a dry place in temperatures no higher than 20°C at a humidity of 50%. Prolonged storage at a higher temperature affects the shelf-life of Polyplas Colours (250).

Recyclability

Polyplas Colours (250) is a high density polyethylene material and therefore recyclable under Class 2.



Thickness	μm - 250 +/- 10%
Material Weight	GSM - 258 +/- 5%
Service Temperature	-40°C to +80°C
Recommended Ribbon	Dura-ID Standard



The above values and information are given in good faith but without warranty. Dura-ID recommends the testing of samples to ascertain suitability. It is the responsibility of the end user to satisfy the suitability of the product for the application. All goods are supplied in accordance with our standard conditions of sale.

Dura-ID Solutions Limited

Sheffield Office: +44 (0) 114 242 2111 info@dura-id.com

Devon Office: +44 (0) 1803 668 090 sales@dura-id.com

St Ives Office: +44 (0) 11480 274 230 horticulture@dura-id.com



www.dura-id.com

Certificate number: FM 690323